

Contents

EvaQMax

SMOKE EVACUATION UNIT 02

EvaQMaxPen

ECONOMY SMOKE EVACUATION PENCIL 04

TELESCOPIC SMOKE EVACUATION PENCIL 05

DUAL EXTENSION SMOKE EVACUATION PENCIL 06

MaxPencil

STANDARD ESU PENCIL 07

EvaQMaxFit

SURGICAL SMOKE EVACUATION ADAPTER 07

Electro Accessories

08

MaxPlate

GROUNDING PAD 09

CABLE 10

Ordering Information

11

ELECTRO



SURGERY

SMOKE FREE EVACUATION


Procedure Operating Modes

The desired procedure can be set simply by touching the corresponding image. Automatically customizing suction default level based on desired surgical procedure.



Longer lasting filter life (up to 50 Hours)

Can save on running costs.




Touch screen

The touch screen panel can be operated while wearing gloves.



Multi Port design

Three different sized connection ports are designed to create an air-tight bond with the desired port. The port cover cap eliminates any possible contamination with the glove when connecting the hose to the unit.



Technical Specification

Item	Specification
Noise Levels (Nominal Values)	maximum power < 55 dBA
Dimensions (H x W x D)	6 in x 11 in x 15.5 in (15.2 cm x 27.9 cm x 39.4 cm)
Flow Rates	36 cfm (708 lpm) using 7/8 in (22 mm) tubing
Weight	With filter installed: 12.0 lbs (5.0 kg) Without filter installed: 9.5 lbs (4.0 kg)
Certifications	CE, FDA
Warranty	Three (3) Year Full Warranty


Accessories




Foot-switch (Included)



Automatic Activation Device (Optional)



Fluid Trap (Optional)





ECONOMY SMOKE EVACUATION PENCIL

COST EFFECTIVE & SIMPLE USE
NON EXTENDABLE TYPE



EXTENSION OF THE SUCTION TIP ALLOWS MAXIMUM SMOKE EVACUATION




Hold the suction tip and slide it as close as possible to the blade in order to maximize the suction capacity.


Model	Product Description	Cable Length	Packaging Info.
SPEC	Non-Telescopic, 2.5" Non-Stick Ceramic Coated Blade, Holster	10' Cable	1 pc / pack 10 pcs/ Box 4 Boxes / Case
SPEC-5	Non-Telescopic, 2.5" Non-Stick Ceramic Coated Blade, Holster	16' Cable	
SPECI	Non-Telescopic, 2.5" Insulated Non-Stick Ceramic Coated Blade, Holster	10' Cable	
SPECI-5	Non-Telescopic, 2.5" Insulated Non-Stick Ceramic Coated Blade, Holster	16' Cable	

Non-Stick Blade – Easy to Clean


Ceramic coated blade is specially designed for easy cleaning after cutting and coagulation. The blade is not flammable, inhibits noxious gasses, bio-compatible to the skin and extremely durable when using higher wattages.



Before use



After use in 50W




Easy cleaning with one swipe

TELESCOPIC SMOKE EVACUATION PENCIL

ONE TOUCH BUTTON EXTENDABLE TELESCOPIC TYPE

The easiest way to extend the length

1. Ability to keep focus on the surgery area even when extending the length.
2. Easy extension and retraction of suction tube with blade attachment.
3. Thin, light weight design provides comfortable usage for surgeons.
4. Superior suction Capability.



The telescope can be varied from 2.5 to 6.0 inches with just a push of the release button and slide of the the electrode tube back and forth


Model	Product Description	Cable Length	Packaging Info.
SPST	Telescopic, 2.5" Non-Stick Ceramic Coated Blade, Holster	10' Cable	
SPST-5	Telescopic, 2.5" Non-Stick Ceramic Coated Blade, Holster	16' Cable	1pc / pack
SPSTI	Telescopic, 2.5" Insulated Non-Stick Ceramic Coated Blade, Holster	10' Cable	10 pcs/ Box
SPSTI-5	Telescopic, 2.5" Insulated Non-Stick Ceramic Coated Blade, Holster	16' Cable	4 Boxes / Case

DUAL EXTENSION SMOKE EVACUATION PENCIL



ULTIMATE SOLUTION for SMOKE FREE in OR
DUAL EXTENSION
SMOKE EVACUATION PENCIL

1. EASY TO EXTEND THE TELESCOPIC TUBE
WITH THE RELEASE BUTTON

The telescopic extendable tube is convenient and easy to adjust to desired length.




2. EXTENSION OF THE SUCTION TIP ALLOWS MAXIMUM SMOKE EVACUATION







Hold the suction tip and slide it as close as possible to the blade in order to maximize the suction capacity.

Model	Product Description	Cable Length	Packaging Info.
SPDE	Dual Extension, Telescopic, 2.5" Non-Stick Ceramic Coated Blade, Holster	10' Cable	
SPDE-5	Dual Extension, Telescopic, 2.5" Non-Stick Ceramic Coated Blade, Holster	16' Cable	1pc / pack
SPDEI	Dual Extension, Telescopic, 2.5" Insulated Non-Stick Ceramic Coated Blade, Holster	10' Cable	10 pcs/ Box
SPDEI-5	Dual Extension, Telescopic, 2.5" Insulated Non-Stick Ceramic Coated Blade, Holster	16' Cable	4 Boxes / Case

Surgical Smoke Evacuation Adapter



EXTENSION OF THE SUCTION TIP ALLOWS MAXIMUM SMOKE EVACUATION



Model	Product Description	Tubing Length
FITEC	Ideal for surgical smoke evacuator applications, Extension	3/8in X 10' Ft Tubing
FITEC-5	Ideal for surgical smoke evacuator applications, Extension	3/8in X 16' Ft Tubing

MaxPlate

The advanced Hydro-Gel improves conductivity, lowers impedance, eliminates residue and minimizes the risk of pad site burn.

Optimal Adhesive Strength

With advance technology and research, we've improved the adhesion between the skin and the grounding pad.

Lower Impedance

With optimal Hydro-Gel, the MaxPlate can safely maintain high current density


Residue-Free

Hydro-Gel provides maximum adhesion and leaves zero residue on the patient, mess free!

ESU Grounding Pad(Over-sized Gel)

Minimizes Risk of pad site burns

MaxPlate ESU grounding pads are designed and manufactured using an advanced gel overlay system to reduce the possibility of edge burn or bite.



Population	Model	Type	Size	Conductive Area	Gel Area
			WxD (mm)	cm ²	cm ²
Adult	OMX52P	Split	167*121	108	128
Pediatric	OPMX52P	Split	154*121	96	112
Neonatal	ONMX52P	Split	98*75	34	40

CABLE



RCV300



RCE300

Model	Specification	Packaging Info.
RCV300	Cable for use with all ARM-equipped and Valleylab REM-equipped generators. Enables pad-to-patient contact quality monitoring 3m	1 each
RCE300	Cable for use with Erbe and Elmed generators 3m	1 each

Ordering Information

EvaQMaxPen series

#	Model	Product Description	Cable Length	Packaging Info.
1	SPEC	Non-Telescopic, 2.5" Non-Stick Ceramic Coated Blade, Holster	10' Cable	
2	SPEC-5	Non-Telescopic, 2.5" Non-Stick Ceramic Coated Blade, Holster	16' Cable	
3	SPECI	Non-Telescopic, 2.5" Insulated Non-Stick Ceramic Coated Blade, Holster	10' Cable	
4	SPECI-5	Non-Telescopic, 2.5" Insulated Non-Stick Ceramic Coated Blade, Holster	16' Cable	
5	SPST	Telescopic, 2.5" Non-Stick Ceramic Coated Blade, Holster	10' Cable	
6	SPST-5	Telescopic, 2.5" Non-Stick Ceramic Coated Blade, Holster	16' Cable	1 pc / pack 10 pcs/ Box 4 Boxes / Case
7	SPSTI	Telescopic, 2.5" Insulated Non-Stick Ceramic Coated Blade, Holster	10' Cable	
8	SPSTI-5	Telescopic, 2.5" Insulated Non-Stick Ceramic Coated Blade, Holster	16' Cable	
9	SPDE	Double Extension, Telescopic, 2.5" Non-Stick Ceramic Coated Blade, Holster	10' Cable	
10	SPDE-5	Double Extension, Telescopic, 2.5" Non-Stick Ceramic Coated Blade, Holster	16' Cable	
11	SPDEI	Double Extension, Telescopic, 2.5" Insulated Non-Stick Ceramic Coated Blade, Holster	10' Cable	
12	SPDEI-5	Double Extension, Telescopic, 2.5" Insulated Non-Stick Ceramic Coated Blade, Holster	16' Cable	

MaxPencil

#	Model	Product Description	Cable Length	Packaging Info.
1	SBNH	Push Button, 2.5" Stainless Coated Blade, Holster	10' Cable	1 pc / pack 25 pcs/ Box 2 Boxes / Case
2	SRNH	Rocker Button, 2.5" Stainless Coated Blade, Holster	10' Cable	2 Boxes / Case

EvaQMaxFit

#	Model	Product Description	Tubing Length
1	FITEC	Ideal for surgical smoke evacuator applications, Extension	3/8in X 10' Ft Tubing
2	FITEC-5	Ideal for surgical smoke evacuator applications, Extension	3/8in X 16' Ft Tubing

Ordering Information

Electrode Accessories

#	Model	Description	Packaging Info.	
1	NBE25	Blade Electrodes: Solid Stainless Coated, 2.5"	1 pc / pack	10 pcs/ Box
2	BE25	Blade Electrodes: Solid Stainless, 2.5"	1 pc / pack	10 pcs/ Box
3	NBE25T	Blade Electrodes: Solid Stainless Coated, 2.5"	1 pc / pack	10 pcs/ Box
4	NNE25	Needle Electrodes: Solid Stainless Coated, 2.5"	1 pc / pack	10 pcs/ Box
5	NE25	Needle Electrodes: Solid Stainless, 2.5"	1 pc / pack	10 pcs/ Box
6	NRE25	Ball Electrodes : Stainless Steel 5mm coated ball, 2.5"	1 pc / pack	10 pcs/ Box
7	RE25	Ball Electrodes : Stainless Steel 5mm ball, 2.5"	1 pc / pack	10 pcs/ Box

MaxPlate

#	Population	Model	Type	Size	Conductive Area	Gel Area
				WxD (mm)	cm ²	cm ²
1	Adult	OMX52P	Split	167*121	108	128
2	Pediatric	OPMX52P	Split	154*121	96	112
3	Neonatal	ONMX52P	Split	98*75	34	40



MEDIMAXTECH USA

2805 East Ana Street
East Rancho Dominguez, CA 90221
Tel : 1-855-MEDIMAX (1-855-633-4629)
Website : www.medimaxtech.com


MEDIMAXTECH UK

Unit 48/49 Kingspark Business Center,
152-178 Kingston Road, New Malden,
Surrey, KT3 3ST. UK
Tel : +44 0203 586 7630
Website : www.medimaxtech.co.uk

MaxPencil

UNIVERSAL STANDARD DESIGN



- Interchangeable design all over the world.
- Either button or rocker switch is available for your preference.




Model	Button type	Product description	Cable Length	Packaging Info.
SBNH	Push Button	2.5" Stainless Coated Blade, Holster	10' Cable	1 pc / pack 25 pcs/ Box
SRNH	Rocker Button	2.5" Stainless Coated Blade, Holster	10' Cable	2 Boxes / Case

Electrode Accessories



BLADE

#	Model	Description	Packaging Info.	
1	NBE25	Blade Electrodes: Solid Stainless Coated, 2.5"	1 pc / pack 10 pcs/ Box	
2	BE25	Blade Electrodes: Solid Stainless, 2.5"	1 pc / pack 10 pcs/ Box	



INSULATED BLADE

#	Model	Description	Packaging Info.	
3	NBE25T	Blade Electrodes: Solid Stainless Coated, 2.5"	1 pc / pack 10 pcs/ Box	

NEEDLE

#	Model	Description	Packaging Info.	
4	NNE25	Needle Electrodes: Solid Stainless Coated, 2.5"	1 pc / pack 10 pcs/ Box	
5	NE25	Needle Electrodes: Solid Stainless, 2.5"	1 pc / pack 10 pcs/ Box	

BALL

#	Model	Description	Packaging Info.	
6	NRE25	Ball Electrodes : Stainless Steel 5mm coated ball, 2.5"	1 pc / pack 10 pcs/ Box	
7	RE25	Ball Electrodes : Stainless Steel 5mm ball, 2.5"	1 pc / pack 10 pcs/ Box	

MaxPencil

UNIVERSAL STANDARD DESIGN

- Interchangeable design all over the world.
- Either button or rocker switch is available for your preference.



Model	Button type	Product description	Cable Length	Packaging Info.
SBNH	Push Button	2.5" Stainless Coated Blade, Holster	10' Cable	1 pc / pack 25 pcs/ Box
SRNH	Rocker Button	2.5" Stainless Coated Blade, Holster	10' Cable	2 Boxes / Case

Electrode Accessories

BLADE

#	Model	Description	Packaging Info.	
1	NBE25	Blade Electrodes: Solid Stainless Coated, 2.5"	1 pc / pack 10 pcs/ Box	
2	BE25	Blade Electrodes: Solid Stainless, 2.5"	1 pc / pack 10 pcs/ Box	

INSULATED BLADE

#	Model	Description	Packaging Info.	
3	NBE25T	Blade Electrodes: Solid Stainless Coated, 2.5"	1 pc / pack 10 pcs/ Box	

NEEDLE

#	Model	Description	Packaging Info.	
4	NNE25	Needle Electrodes: Solid Stainless Coated, 2.5"	1 pc / pack 10 pcs/ Box	
5	NE25	Needle Electrodes: Solid Stainless, 2.5"	1 pc / pack 10 pcs/ Box	

BALL

#	Model	Description	Packaging Info.	
6	NRE25	Ball Electrodes : Stainless Steel 5mm coated ball, 2.5"	1 pc / pack 10 pcs/ Box	
7	RE25	Ball Electrodes : Stainless Steel 5mm ball, 2.5"	1 pc / pack 10 pcs/ Box	